CLOVER ELECTRONICS

PRODUCT CATALOG

systems	cameras	monitors	rec. device	accessories

LCD26164

Combo - 26" Wide Screen LCD 16CH DVR System (All-in-One)

- 26" LCD Monitor w/ Built-in 16CH DVR
- IP Addressable • DDNS Support
- Monitoring via TCP/IP
- Real Time Display • Recording 480 F/S
- 2 Way Audio, Desk / Wall Mountable
- 2 Indoor Cameras w/ C-Mount Lenses
- 2 Night Vision Outdoor Cameras (Rugged Steel Construction)
- Four(4) 60ft Cables - HDD: 750GB

LCD22164

Combo - 22" LCD Wide Screen 16CH DVR System (All-in-One)

- 22" LCD Monitor w/ Built-in 16CH DVR
- IP Addressable • DDNS Support
- Monitoring via TCP/IP
- Real Time Display • Recording 240 F/S
- 2 Way Audio, Desk / Wall Mountable
- 2 Indoor Cameras w/ C-Mount Lenses
- 2 Night Vision Outdoor Cameras (Rugged Steel Construction)
- Four(4) 60ft Cables - HDD: 320GB

LCD2288P

Combo - 22" Wide Screen 8CH DVR System (All-in-One)

- 22" LCD Monitor w/ Built-in 8CH DVR
- IP Addressable • DDNS Support
- Monitoring via TCP/IP
- Real Time Display • Recording 240 F/S
- 2 Way Audio, Desk / Wall Mountable
- 4 Indoor Cameras w/ C-Mount Lenses
- 4 Night Vision Outdoor Cameras (Rugged Steel Construction)
- Eight(8) 60ft Cables - HDD: 320GB

LCD2284DVR

Combo - 22" Wide Screen 8CH DVR System (All-in-One)

- 22" LCD Monitor w/ Built-in 8CH DVR
- IP Addressable • DDNS Support
- Monitoring via TCP/IP
- Real Time Display • Recording 240 F/S
- 2 Way Audio, Desk / Wall Mountable
- 2 Indoor Cameras w/ C-Mount Lenses
- 2 Night Vision Outdoor Cameras (Rugged Steel Construction)
- Four(4) 60ft Cables - HDD: 320GB

TFT1904DVR

Combo - 19" TFT 4CH DVR System (All-in-One)

- 19" TFT Monitor w/ Built-in 4CH DVR
- IP Addressable • Monitoring via TCP/IP
- Real Time Display • Recording 120 Ips
- DDNS Support • 2 Way Audio
- Desk / Wall Mountable
- 2 Indoor Cameras w/ C-Mount Lenses & 2 Night Vision Outdoor Cameras (Rugged Steel Construction)
- Four(4) 60ft Cables - HDD: 160GB

C1704DVR

Combo - 17" Color Flat Screen 4CH DVR System (All-in-One)

- 17" Flat Screen Monitor w/ Built-in 4CH DVR
- 420TV Lines at Center • IP Addressable
- Monitoring via TCP/IP • Real Time Display
- Recording 120 Ips • DDNS Support
- 2 Way Audio • Desk / Wall Mountable
- 2 Indoor Cameras w/ C-Mount Lenses & 2 Night Vision Outdoor Cameras
- Four(4) 60ft Cables - HDD: 160GB

TBUN19070

DVR Bundle System - 19" Wide Screen TFT Monitor + (4) Cameras + 4CH DVR

- 19" TFT Quad Monitor
- Real Time 4 CH DVR
- 2 Indoor Cameras
- 2 Outdoor Cameras
- Contrast 500:1
- Brightness 400cd/m²
- Triplex
- Real Time Display
- Recording 120 Ips
- IP Addressable
- DDNS Support
- HDD 160GB

TBUN15070

DVR Bundle System - 15" TFT Color Monitor + (4) Color Cameras + 4CH DVR w/ 160GB HDD

- 15" TFT LCD Quad Monitor
- Real Time 4 CH DVR
- 2 Indoor Cameras
- 2 Outdoor Cameras
- Contrast 350:1
- Brightness 450cd/m²
- Triplex
- Real Time Display
- Recording 120 Ips
- IP Addressable
- DDNS Support
- HDD 160GB

BUN19470

DVR Bundle System - 19" Wide Screen LCD Monitor + (4) Color Cameras + 4CH DVR

- 19" TFT LCD Quad Monitor
- Real Time 4 CH DVR
- 4 Night Vision Outdoor Cameras
- Contrast 500:1
- Brightness 400cd/m²
- Triplex
- Real Time Display
- Recording 120 Ips
- IP Addressable
- DDNS Support
- HDD 160GB

BUN1770

DVR Bundle System - 17" Color Monitor + (4) Color Cameras + 4CH DVR w/ 160GB HDD

- 17" Color Flat Monitor 480 TV Lines
- 4 CH Triplex DVR
- 4 Night Vision Outdoor Cameras
- Resolution 720x480
- Real Time Display
- Recording 120 Ips
- 4 Video Inputs (BNC) & Looping Outputs (BNC)
- 1 CH Audio In/Out
- USB Port
- DDNS Support
- HDD 160GB

BUN1470

DVR Bundle System - 14" Color Monitor + (4) Color Cameras + 4CH DVR w/ 160GB HDD

- 14" Color Monitor 480 TV Lines
- 4 CH Triplex DVR
- 4 Night Vision Outdoor Cameras
- Resolution 720x480
- Real Time Display
- Recording 120 Ips
- 4 Video Inputs (BNC) & Looping Outputs (BNC)
- 1 CH Audio In/Out
- USB Port
- DDNS Support
- HDD 160GB

BUN1780

VCR Bundle System - 17" Color Monitor + (4) Color Cameras + Quad Splitter + Time Lapse VCR

- 17" Color Quad Monitor
- 480 TV Lines of Resolution
- 960 Hrs Time Lapse VCR
- 4 Night Vision Outdoor Cameras
- 1 Real Time Quad Splitter
- 2 Anti-Roll Line Lock
- On Screen Display
- Automatic Sequencing
- Stand-by Mode
- Remote Controller
- Four(4) 60ft Cables

BUN1480

VCR Bundle System - 14" Color Monitor + (4) Color Cameras + 4Ch Quad Splitter + Time Lapse VCR

- 14" Color Monitor with Color Quad
- 460 TV Lines of Resolution
- 960 Hrs Time Lapse VCR
- 4 Night Vision Outdoor Cameras
- Audio in Quad Mode
- Anti-Roll Line Lock
- On Screen Display
- Automatic Sequencing
- Standby Mode
- Remote Controller
- Four(4) 60ft Cables

TFT1914Q

19" TFT Quad Monitor Observation System

- 19" TFT Quad Monitor
- 2 Indoor Cameras
- 2 Outdoor Cameras
- Contrast 500:1
- Brightness 400cd/m²
- Real Time 30 F/S
- PIP, POP, OSD
- Anti-Roll Line Lock
- 2 Way Audio
- Four(4) 60ft Cables & Mounting Brackets

TFT1504Q

15" TFT Quad Monitor Observation System

- 15" TFT Quad Monitor
- 2 Indoor Cameras
- 2 Outdoor Cameras
- Contrast 350:1
- Brightness 450cd/m²
- Real Time 30 F/S
- PIP, POP, OSD
- Anti-Roll Line Lock
- 2 Way Audio
- Four(4) 60ft Cables & Mounting Brackets

C2104Q

21" High Resolution Color Dual Quad Obs. System w/ 4 Cameras

- 21" Dual Quad Color Obs. System with 8 Din Jacks Plus 8 BNC Jacks
- Line-Locked
- Audio in Quad Mode
- Anti- Roll Line Lock
- On Screen Display and 4 CCD Cameras w/ Cables & Lenses

CSM1714Q

17" High Resolution Color Dual Quad OBS. System w/ 4 Cameras

- 17" Quad Color 460 TV LineS of Resolution Monitor
- 2 Outdoor Night Vision Cameras
- 2 Indoor Ind'l Grade Cameras
- Motion Detection
- Anti-Roll Line Lock
- Automatic Sequencing
- On Screen Display
- Standby Mode
- Remote Control
- Metal Cabinet & Four(4) 60ft Cables

C1700

17" Color Flat Screen Slave Monitor

- 17" Color Flat Screen Slave Monitor
- 450 TV Lines
- Two Composite Video Inputs/Outputs and One(1) S-VHS Input/Output
- 3 Audio Inputs/Outputs
- OSD- Metal Case & Retail Box Packaged

C1401

14' High Resolution 1 Channel Slave Monitor

- 1 Channel 14" Professional High Resolution Color Slave Monitor
- 480 TV Lines
- OSD
- Audio Input
- VCR Recordable

CDR1650

IP Addressable Stand-Alone 16 CH DVR

- Triplex
- 720 X 480
- Display & Recording 480 Frames/Sec
- Up to 1.5 TB (3 HDD Bays)
- 16 CH Video Inputs & Looping Outputs
- USB Port
- VGA Output
- Composite Output
- Built-in PTZ Control
- Jog/shuttle Ring
- DDNS Support
- DVD R/W
- HDD 500GB

CDR1610

IP Addressable Stand-Alone 16 CH DVR

- Triplex
- 720 X 480
- Display 480 Frames/Sec
- Recording 120 Frames/Sec
- Up to 2 TB (4 HDD Bays)
- 16 CH Video Inputs & Looping Outputs
- Jog/shuttle Ring
- USB Port
- VGA Output
- Composite Output
- Built-in PTZ Control
- DDNS Support
- HDD 250GB

CDR0850

IP Addressable Stand-Alone 8 CH DVR

- Triplex
- MPEG-4
- Rs485
- 720 X 480
- Recording 240 Frames/Sec
- 8 Video Inputs & 8 Looping Outputs
- 4 CH Audio Inputs
- Jog/shuttle Ring
- 2 Way Audio on Gui & Internet Explorer
- Built-in DVD R/W
- 3 USB Port
- DDNS Support
- VGA Output
- Composite Output
- Zoom 2 Times Linear Digital
- HDD 320GB

CDR4450

IP Addressable Stand-Alone 4 CH DVR

- Triplex (Live/Recording/Playback Simultaneously)
- High Resolution 640 x 448
- Real Time Display
- 4 Video Inputs (BNC)
- Remote Controlling & Viewing via TCP/IP
- Event Recording
- Programmable Recording Speed
- DDNS Support
- 1 CH Audio Input & Output
- HDD 160GB

CDR4570

IP Addressable Stand-Alone 4 CH DVR

- Triplex
- Resolution 720x480
- Real Time Display
- Recording
- 120 Ips
- 4 Video Inputs (BNC) & Looping Outputs (BNC)
- 1 CH Audio Input/Output
- USB Port
- DDNS Support
- (HDD: Optional)

DVR1600

Professional DVR, MPEG - 4 Compression: Job Order Production

- 16 CH 480 FPS (Display) / 240 FPS (Recording)-HDD 750GB
- Refer to Brochures
- Ask Engineer for More Information

DVR0800

Professional DVR, MPEG - 4 Compression: Job Order Production

- 8 CH 240 FPS (Display) / 240 FPS (Recording)-HDD 500GB
- Refer to Brochures
- Ask Engineer for More Information

DVR0400

Professional DVR, MPEG - 4 Compression: Job Order Production

- 4 CH 120 FPS (Display) / 120 FPS (Recording)-HDD 160GB
- Refer to Brochures
- Ask Engineer for More Information

LOC200

Lock Box for VCR & DVR with Fan

- Heavy Duty 16 Gauge Steel Construction
- Precut Holes for Wiring
- Upper Lid Removable for EZ Installation
- Built-in Cooling Fan and AC Adapter
- Industrial Lock with 2 Keys
- 20" (W) X 7.00" (H) X 18.00" (D)

USB012

USB 2.0 Digital Video Recorder (DVR)

- USB 2.0 Digital Video Recorder : Recording Speed 1 to 30 F/Sec
- Stores Data on Computer HDD
- Motion Detection
- Time & Event Recording
- Software Included

USB112

USB 2.0 Digital Video Recorder (DVR) with Color Camera

- USB 2.0 Digital Video Recorder: Recording Speed 1 to 30 F/Sec
- 25ft Range Night Vision Color Camera
- Stores Data on Computer HDD
- Motion Detection
- Time & Event Recording
- Software
- Includes: 8 IR LEDs

TLV1280A

Time Laps VCR Recorder

- 30 Hour Real Time / 960 Hour Time Laps VCR Recorder w/ 4 Heads
- Audio Recording (6, 18 & 30 Hour Mode)
- 10 Selectable Recording Modes
- On Screen Display
- Timer Alarm
- Series and Auto Repeat
- Jog & Shuttle Ring
- Universal Connecting Kit

CL501SNH

Night Vision 220 FT Range SONY Day & Night Color Camera, 480 TV Lines

- Military Grade Metal Housing Color Camera
- 1/3" SONY Exview CCD Color Camera
- 480 TV Lines • Sun Visor
- 35 Super IR LEDs & a CDS Sensor
- IR Range 220' at Night
- Outdoor Use
- Auto Cooling Fan & Heater
- Vari-Focal Auto Iris Lens 5-50mm
- AC & DC Dual Power Source
- Mounting Bracket & SMPS Power Adapter

HDC100

Dome Style Day and Night Color Camera, 520 TV Lines

- Weather Resistant (IP67)
- 1/3" SONY SUPER HAD CCD
- 520 TV Lines
- Rugged Steel Construction
- Total 38 Infrared LEDs w/ a CDS Sensor
- Approximately 60' IR Range
- Attached Mounting Base (for Ceiling & Wall) and 100' Cable

HDC255

High Resolution Cyclops Digital Camera, 560 TV Lines

- Weather Resistant (IP66)
- 1/3" SONY SUPER HAD CCD
- 560 TV Lines • Two CDS Sensors
- Rugged Steel Construction
- Total 36 Infrared LEDs with Approximately 60' IR Range
- DC Auto Iris
- Vari-Focal Lens (4-9mm)
- Attached Universal Mounting Bracket & 100' Cable

HDC500

Panoramic E.T. Color Camera Covers 180°, 420 TV Lines

- Weather Resistant (IP67)
- 1/3" SONY SUPER HAD CCD
- Resolution • 420 TV Lines
- Rugged Steel Construction
- Covers 180° w/ 2 Video Outputs (Connect with DVR or Quad Splitter)
- Panoramic View
- Attached Universal Mounting Bracket and 100'Cable

HDC501

Milatery Grade Long Range Vari-Focal Night Vision Day / Night Camera w/ LEDs

- Weather Resistant (IP67)
- 1/3" SONY SUPER HAD CCD
- High Resolution 560 TV Lines
- Rugged Steel Construction
- 15 Power Infrared LEDs with a CDS Sensor
- 240' IR Range (Depends on Scene Reflection)
- DC Auto Iris Vari-Focal Lens (5-50mm)
- Attached Universal Mounting Bracket and 100' Cable

HDC518

High Resolution Day and Night Digital Camera w/ 86 LEDs, 560 TV Lines

- Weather Resistant (IP67)
- 1/3" SONY SUPER HAD CCD
- 560 TV Lines
- Rugged Steel Construction
- Total 86 Infrared LEDs w/ a CDS Sensor
- 6 mm Fixed Lens
- Approximately 120' IR Range
- Attached Universal Mounting Bracket and 100' Cable

HDC560

Weather Resistant Vari-Focal Lens Day / Night Camera with 78 LEDs, 560 TV Lines

- Weather Resistant (IP67)
- 1/3" SONY SUPER HAD CCD
- 560 TV Lines
- Rugged Steel Construction
- Total 78 Infrared LEDs w/ a CDS Sensor
- DC Auto Iris
- Approximately 120' IR Range
- Vari-Focal Lens (4-9mm)
- Attached Universal Mounting
- Bracket and 100' Cable

HDC577

Weather Resistant Vari-Focal Lens Day / Night Camera, 560 TV Lines

- Weather Resistant (IP67)
- 1/3" SONY SUPER HAD CCD
- High Resolution 560 TV Lines
- Rugged Steel Construction
- 22 Infrared LEDs with a CDS Sensor
- 80' IR Range (Depends on Scene Reflection)
- DC Auto Iris Vari-Focal Lens (4-9mm)
- Attached Universal Mounting Bracket and 100' Cable

OC315

Outdoor Color Vari-Focal Zoom Camera, 420 TV Lines

- Outdoor Zoom Camera
- 1/3" SONY SUPER HAD CCD Color Camera
- 420 TV Lines
- Weather Resistant
- Vari-Focal Lens 4 to 9mm
- Sun Visor
- 60' Cable
- Mounting Bracket
- AC Adapter

CC5301

SONY 1/3" SUPER HAD Day & Night CCD Color Camera, 470 TV Lines

- SONY 1/3" SUPER HAD Color CCD Camera
- 470 TV Lines • 0.5lux (Color)
- 0.03lux@f1.2(B/W)
- Day/Night
- Filter Changeable Mechanism
- On Screen Display
- Motion Detection
- AC24V/DC12V Dual Power
- Remote Control by Rs-232c
- (Lens: Optional)

CC5302

SONY 1/3" SUPER HAD CCD Day & Night Color Camera, 510 TV Lines

- SONY 1/3" SUPER HAD CCD Color Camera
- 510 TV Lines
- 0.5 Lux @f1.2
- DC/Video/Esc Iris Mode
- C/CS Mount Lens
- DC 12V Power
- Current Consumption 160ma
- (Lens: Optional)

CC5303

SONY 1/3" SUPER HAD CCD Day & Night Color Bullet Camera, 470 TV Lines

- SONY 1/3" Super Had CCD Color Camera
- Day/Night • Sun Visor
- Outdoor Use • 470 TV Lines
- 0 Lux w/ IR LEDs
- Filter Changeable Mechanism
- 16 IR LEDs & a CDS Sensor
- Vari-Focal DC Auto Iris Lens 3.8-9.5mm
- ESC/BLC/AGC Set by Dip S/W

CC5304

SONY 1/3" Vandal Resistant Dome Day & Night Color Camera - 470 TV Lines

- SONY 1/3" SUPER HAD CCD Color Camera
- 470 TV Lines • Day/Night
- Vandal Resistant
- Filter Changeable Mechanism
- Vari-Focal DC Auto Iris Lens 3.8-9.5mm
- ESC/BLC/AGC Set by Dip S/W

Z - 470

Professional High Resolution Day & Night Camera, 530 TV Lines

- 1/3" SONY SUPER HAD CCD
- 530 TV Lines, Super BLC Similar to WDR
- DNR (Digital Noise Reduction)
- Motion Detection
- On Screen Display (Camera ID & Menu)
- Sens Up for 0.01 Lux
- Non-Polar 12V DC
- 24V AC Dual Voltage (Lens & AC Adapter : Optional)

Z - 570

Professional OSD Day & Night High Resolution Camera, 540 TV Lines

- Day/Night Professional Camera
- 1/3" SONY SUPER HAD CCD
- Resolution 540 TV Lines
- Super BLC Similar to WDR
- White Balance: ATW & AWB
- DNR (Digital Noise Reduction)
- Motion Detection
- On Screen Display
- Sens Up for 0.01 Lux • 12V DC
- 24V AC Dual Voltage (Lens & AC Adapter: Optional)

Wall Mounting Dome Cameras

DB330

- B/W Wall Mounting w/ RCA Plug

DB335

- Color Wall Mounting w/ RCA Plug

Ceiling Mounting Dome Cameras

DB350

- B/W Ceiling Mounting w/ RCA Plug

DC355

- Color Ceiling Mounting w/ RCA Plug

CW8800

2.4 GHz Standard Wireless Camera Systems

- 2.4 GHz Wireless Color Camera System w/ Receiver & Transmitter w/ Built-in Camera

CW7800

- 2.4 GHz Wireless B/W Camera System w/ Receiver & Transmitter w/ Built-in Camera

CW8800TX

- Additional Color Wireless Camera Only

CW7800TX

- Additional B/W Wireless Camera Only

2.4 GHz Wireless Covert Systems

CW2800

- PCB for CW3800

CW3800

- Modulator for 2.4GHz

CW5800

- (1) CW2800 + (1) CW3800 + (1) ADT120500 (Adapter)

WW8000

2.4 GHz Wireless Systems w/ 4 Channel Switcher (Sequencing)

- 2.4 Wireless Color Camera System
- 4CH Sequencing
- Receiver & Transmitter w/ Built-in Color Camera

WW8000RX

- Additional 4 Channel Sequencing Receiver Only

WW7000

- 2.4 Wireless B/W Camera System
- 4CH Sequencing
- Receiver & Transmitter w/ Built-in B/W Camera

CW3510

2.4 GHz Wireless 4 CH Sequencing Camera System

- 2.4 GHz Wireless 4 Channel Sequencing Receiver
- 1 Portable Color Camera
- Mounting Bracket
- Built-in Rechargeable Lithium Battery

CW3510TX

- Additional 2.4 GHz Wireless Portable Color Camera
- Mounting Bracket
- Built-in Rechargeable Lithium Battery

CW9900

2.4 GHz Wireless Audio/Video Sender & Receiver

- Wireless Audio/Video Sender & Receiver - Retail Box Packaged

CW7800RX

- Additional Receiver Only

CW9900TX

- Additional Audio/video Transmitter Only

CW5700

2.4 GHz Wireless Video Monitoring System w/ 4 Channel Switcher

- 2.4 GHz Wireless 4 Channel Sequencing Receiver & USB DVR
- (1) 2.4 GHz Wireless Real Outdoor Use Color Camera with Audio and LEDs

CW5700TX

- Additional 2.4 GHz Wireless Portable Outdoor Color Camera
- Mounting Bracket

2.4 GHz Wireless Covert Systems

CW6600

- (1) CW5800 + (1) CW7800rx (Regular Receiver)

CW6601

- (1) CW6600 + (1) B/W Pinhole Board Camera

CW6605

- (1) CW6600 + (1) Color Pinhole Board Camera

CW6700

- (1) CW5800 + (1) WW8000rx (4) CH Sequencing Receiver)

WW7700

2.4 GHz Wireless Video Monitoring System w/ 4 Channel Switcher

- 2.4 GHz Wireless B/W Camera System
- 4 Channel Sequencing 7" Monitor w/ Receiver
- Transmitter w/ Built-in B/W Camera

DQ200

Dome Quad for Ceiling Mount

- 4 B/W Cameras Built in a Dome w/ Real Time Quad Splitter & Wired Remote Controller

DB351-CM

Low Cost Ceiling Mounting Dome

- B/W C-MOS Mounting Dome
- (1) 12" Male RCA Jack for Video (Yellow)
- (1) 12" Male DC Jack (Red)

DC357-CC

Low Cost Ceiling Mounting Color CCD Dome Camera

- B/W Ceiling Mounting w/ RCA Plug

C3320AX

Weather Resistant Bullet Outdoor Camera

- SONY SUPER HAD Color CCD Camera
- 480TV Lines
- Weather Resistant Outdoor CCD Color Camera
- W/ 3.6mm Lens & 10" RCA Cable

IRC022

Night Vision Color CCD Camera

- Day/Night Color CCD Camera
- 330 TV Lines
- 22 IR LEDs and a CDS Sensor
- IR Range Approximately 45'
- 3.6mm Lens
- Mounting Bracket, AC Adapter & 100' Cable

OC285B

Night Vision Outdoor Camera

- Night Vision Color Camera w/ Super LEDs
- 60' Cable & AC Adapter
- IR Range Approximately 30'

OB280

Night Vision Outdoor Camera

- Night Vision B/W Camera w/ Super LEDs
- IR Range Approximately 30'
- AC Adapter & 60' Cable

RD335H 1 Pack
RD3352 2 Pack
RD3354 4 Pack

SONY Chipset Outdoor Color Camera, 420 TV Lines

- Super High Resolution SONY Chipset Color CCD Camera with IR LED Light for Night Vision and Rugged Steel Construction
- Universal Mounting
- A/C Power Adapter
- 60ft Cable & Mounting Bracket with a CDS Sensor (Automatically Turns LEDs On/Off as Required)
- Metal Case & Clamshell Packaged

RD435H

SONY Chipset Outdoor 90ft Range Color Camera, 560 TV Lines

- 90ft Range Night Vision Color Camera
- Sun Visor for Outdoor Use
- 8 Super LEDs
- 60' Cable • Mounting Bracket
- AC Adapter
- Automatically Turns LEDs on at Night Time - Clamshell Packaged

OC295

30m Waterproof, Night Vision Color Camera

- 30m Waterproof
- Night Vision Color Camera
- Sun Visor for Outdoor Use
- 12 Super LEDs • 100' Cable
- Mounting Bracket
- IR Range Approximately 90'
- AC Adapter
- Automatically Turns LEDs on at Night Time - Clamshell Packaged

CM105H 1 Pack
CM1052 2 Pack

SONY Chipset Indoor Color Camera, 420 TV Lines

- Additional Night Vision Camera for Color Observation Systems
- 1/3" CCD Camera
- A/C Power Adapter
- 60ft Cable & Mounting Brackets with a CDS Sensor
- Automatically Turns LEDs On/Off as Required
- Metal Case & Clamshell Packaged

CCM630

Color 30mm X 30mm Ultra Miniature Camera

- Standard Lens Camera w/ 10' RCA Cable - Retail Box
- 92º Lens & RCA Jack (No Adapter Included)

CCM630P

Color 30mm X 30mm Ultra Miniature Camera

- Metal Case
- Pinhole Lens Camera w/ 10' RCA Cable - Retail Box
- 92º Lens & RCA Jack (No Adapter Included)

CCM636

Color 30mm X 30mm Ultra Miniature Camera

- Metal Case
- Cone Type Pinhole Lens Camera w/ 10' RCA Cable - Retail
- 92º Lens & RCA Jack (No Adapter Included)

CM625

B/W 25mm X 25mm Ultra Miniature Camera

- Metal Case
- Standard Lens Camera w/ 10' RCA Cable - Retail Box
- 92º Lens & RCA Jack (No Adapter Included)

CM625P

B/W 25mm X 25mm Ultra Miniature Camera

- Metal Case
- Pinhole Lens Camera w/ 10' RCA Cable - Retail Box
- 92º Lens & RCA Jack (No Adapter Included)

CM626

B/W 25mm X 25mm Ultra Miniature Camera

- Metal Case
- Cone Type Pinhole Lens Camera w/ 10' RCA Cable
- Retail Box Packaged
- 92º Lens & RCA Jack (No Adapter Included)

C3326EX

High Resolution Professional Mini Color Camera

- 1/3" SONY CCD Camera
- 270K Pixels
- DC 12V
- Included Vari-Focal Lens
- Retail Box Packaged

CCM805

Indoor Bullet Special Camera - Audio

- Color Bullet Audio Camera w/ Cable & AC Adapter - Retail Box Packaged

CM800

Indoor Bullet Special Camera - Audio

- B/W Bullet Audio Camera w/ Cable & AC Adapter - Retail Box Packaged

CNC200N

1CH Network Color Camera (30 F/Sec)

- 1/3" SUPER HAD Color CCD
- 470 TV Lines • 0.8 Lux
- Vari-Focal DC Auto Iris Lens 3.5 - 8mm
- M-JPEG • Network: Protocol TCP/IP
- Http / FTP / UDP and More Interface 10/100t Ethernet
- RJ-45

C4124

High Resolution Professional Color Camera

- 1/3" SONY DSP Chip
- 480 TV Lines • BLC
- 0.7 Lux @f1.2 • Iris Mode
- Video/DC/ESC Selectable
- C/CS Mount Lens (Optional)
- AC 24V Power Source (Lens & AC Adapter: Optional)

C2712

Color Manual Pan / Tilt Camera

- 1/3" SONY DSP Chip
- 330 TV Lines
- BLC
- 0.7 Lux @f1.2
- Iris Mode Video/DC/ESC Selectable
- C/CS Mount Lens (Optional)
- DC 12V Power Source (Lens & AC Adapter: Optional)

DC375

Aluminum Case Eyeball 1/3" Panasonics HR CCD

- High Resolution
- Aluminum Case
- Eyeball 1/3" Panasonic HR
- Color CCD Ceiling Dome Camera w/ 60' Cable & AC Adapter - Retail Box Packaged

VDP1500

Color 4" TFT Monitor Video Door Phone System

- Color 4" TFT Monitor Video Door Phone System
- (1) Monitor
- (1) B/W Camera w/ Lens
- (1) 60' Cable
- Power Adapter & Installation Brackets

VDP1300

B/W Video Door Phone System

- B/W Video Door Phone System
- (1) Monitor
- (1) B/W Camera w/ Lens
- (1) 60' Cable
- Power Adapter & Installation Brackets

VHG05

Electric Door Release Lock

- Electric Door Release Lock for VDP1300 & VDP1500

MPT300

Color Manual Pan / Tilt Camera

- 1/3" SUPER HAD CCD Camera
- Vari-Focal Lens 4-9mm
- Included 60' Cable & AC Adapter- Retail Box Packaged

RE600

Additional Rear View Color Camera

TFT7001

7" TFT Rear View Color System

- 7" TFT Wide Screen
- 1/3" CCD Color Camera
- Rugged Steel Construction
- Switchable Normal / Mirror Image
- 2 Camera Inputs
- 45' Cable
- Operating Temperature -12°f to 120°f

RE500

Additional Rear View B/W Camera

REV055

5.5" B/W Rear View System

- Glare Reducing 5.5" Green Screen
- B/W 2CH Monitor (Phosphor CRT)
- 600 TV Lines
- Switchable Normal / Mirror Image and Day/Night w/ Sunvisor
- Waterproof Camera w/ 60' Cable
- Operating Temperature -22°f to 155°f

CNPT1

Web Remote Control Pan/Tilt (30 F/Sec)

- 1/3" SONY CCD Color Camera
- 460 TV Lines • 0.5 Lux
- 6mm Fixed Lens
- High Speed/Smooth/Silent Pan/Tilt
- Motion Detection
- 2x Digital Zoom
- Up to 10 Predefined Preset
- Preset Auto Patrol
- Algorithm: MPEG-4

USB01PT

USB Pan/Tilt (30 F/Sec) - Color Camera

- 1/3" SONY CCD Color Camera
- 460 TV Lines • 0.5 Lux
- 6mm Fixed Lens
- High Speed/Smooth/Silent Pan/Tilt
- 10 Preset & Auto Patrol Mode
- 2x Digital Zoom, Motion Detection
- Universal Serial Bus (USB) 1.1
- Algorithm MPEG-4

CBC2007

1/3" DSP 32mm X 32mm Color Board Camera

- 1/3" SONY Color CCD Camera w/ 92º (3.6mm) Pinhole Lens
- 270K Pixels

BC30P

1/3" DSP 32mm X 32mm Color Board Camera

- B/W Board Camera w/ 92º (3.6mm) Pinhole Lens

IR045

Super Infrared LED Night Lights - Weather Resistant

- 60ft Range - 68 Super Infrared LEDs w/ Clamshell Power Adapter

IR030

- 45ft Range - 44 Super Infrared LEDs w/ Clamshell Power Adapter

IR010

- 20ft Range - 20 Super Infrared LEDs w/ Clamshell Power Adapter

CBC2006

1/3" DSP 32mm X 32mm Color Board Camera

- 1/3" SONY Color CCD Camera w/ 92º (3.6mm)
- 270K Pixels
- Standard Lens

CBC2008

1/3" DSP 32mm X 32mm Color Board Camera

- Mirror Image 1/3" Color Board Camera w/ 2.9mm Lens
- 270K Pixels

BC325

1/3" CCD 32mm X 32mm B/W Board Camera

- B/W Board Camera w/ 54º (6.0mm) Standard Lens

BC327

1/3" DSP 32mm X 32mm Color Board Camera

- B/W Board Camera w/ 78º (4.3mm) Standard Lens

BC329

1/3" DSP 32mm X 32mm Color Board Camera

- B/W Board Camera w/ 92º (3.6mm) Standard Lens

QC1100

Compact Size Digital Real Time Quad Splitter - Clamshell Packaged

- Color Digital Real Time Quad
- On Screen Display
- Time/Date Generator
- AC Adapter Included

QC900

Compact Size Digital Real Time Quad Splitter - Clamshell Packaged

- Color Digital Real Time Quad
- On Screen Display
- Time/Date Generator
- AC Adapter Included

QB700

Compact Size Digital Real Time Quad Splitter - Clamshell Packaged

- B/W Digital Real Time Quad
- On Screen Display
- Time/Date Generator
- AC Adapter Included

VGA200

VGA Converter

- Converts Composite Video Signal to VGA (Video Graphic Array) Signal
- 2 Composite Video Inputs (1-RCA, 1-BNC) 1.0vp
- P @75 Ohms
- D-Sub 15 (15 Pin D-Subminiature) Output
- Resolution 720 X 480
- Refresh Rates at up to 70Hz
- Switching Mode Power Supply: DC 5V 1A

Housings & Mounting Brackets

MBK001

<i> Type 6" Mounting Bracket

MBK002

<i> Type 3.5" Mounting Bracket

MBK003

<i> Type 2" Mounting Bracket

HS13

- Outdoor Camera Housing
- Aluminum, 138(W) X 117(H) X 375(L)mm

HS13HB

- Outdoor Camera Housing
- Aluminum • 138(W) X 117(H) X 375(L)mm
- W/ Heater & Blower: AC24V Power Source
- (ADT241200: Not Included)

MBK010

- Mounting Bracket for HS13 & HS13HB
- Aluminum • Swivel Angle 360 Degree
- Tilt 90 Degree • 85(W) X 100(H) X 285(L)mm

DU511

Simulated Camera

- Indoor Simulated Wall / Ceiling Mounting Camera

DU512

Simulated Camera

- Outdoor / Indoor Simulated Wall Mounting Camera

DU513

Simulated Camera

- Indoor Simulated Ceiling Mounting Dome Camera

OC1050 1 Pack
OC1052 2 Pack

Outdoor Mini Night Vision Camera w/ 100' Cable & Power Adapter

- Built-in 10 Super IR LEDs
- Outdoor Night Vision Color Cameras w/ Lens
- A/C Power Adapter
- 100ft Cable & Mounting Bracket with CDS Sensor (Automatically Shuts Off LEDs During Daylight Hours) - Metal Case & Clamshell Packaged

OC950 1 Pack
OC9502 2 Pack

Indoor Mini Night Vision Camera w/ 60' Cable & Power Adapter

- Color Camera
- 6 Super IR LEDs and Audio - Clamshell Packaged
- A/C Power Adapter
- 60ft Cable & Mounting Bracket with CDS Sensor (Automatically Shuts Off LEDs During Daylight Hours) - Metal Case & Clamshell Packaged

CM900

Indoor Mini Night Vision Camera w/ 60' Cable & Power Adapter

- B/W Camera
- 6 Super IR LEDs and Audio - Clamshell Packaged
- A/C Power Adapter
- 60ft Cable & Mounting Bracket with CDS Sensor (Automatically Shuts Off LEDs During Daylight Hours) - Metal Case & Clamshell Packaged

OC960 1 Pack
OC9602 2 Pack

Indoor Mini Night Vision Camera w/ 100' Cable & Power Adapter

- Color Camera
- 8 Super IR LEDs and Audio - Clamshell Packaged
- A/C Power Adapter
- 100ft Cable & Mounting Bracket with CDS Sensor (Automatically Shuts Off LEDs During Daylight Hours) - Metal Case & Clamshell Packaged

OC9604

Four Pack (4 Pcs) = (2) Outdoor + (2) Indoor Night Vision Color Cameras

- Four Pack (4 Pcs) w/ Built-in 8/10 Super IR LEDs
- 2 Indoor Cameras
- 2 Outdoor Cameras
- A/C Power Adapter
- 100ft Cables (Each) & Mounting Brackets with CDS Sensor (Automatically Shuts Off LEDs During Daylight Hours) - Metal Case & Retail Box Packaged

OC990 1 Pack
OC9902 2 Pack

Indoor Mini Night Vision Camera w/ 100' Cable & Power Adapter

- Color Camera
- 10 Super IR LEDs and Audio - Clamshell Packaged
- A/C Power Adapter
- 100ft Cable & Mounting Bracket with CDS Sensor (Automatically Shuts Off LEDs During Daylight Hours) - Metal Case & Clamshell Packaged

WW3000

2.4 GHz Wireless Video Monitoring Systems

- 4 Channel Switcher Camera System w/ Remote Controller

CM910

Indoor Mini Night Vision Camera w/ 60' Cable & Power Adapter

- B/W Camera
- 8 Super IR LEDs and Audio - Clamshell Packaged
- A/C Power Adapter
- 60ft Cable & Mounting Bracket with CDS Sensor (Automatically Shuts Off LEDs During Daylight Hours) - Metal Case & Clamshell Packaged

WW5000

2.4 GHz Wireless Video Monitoring Systems

- 5.5" Monitor B/W 4 Channel Video Monitoring System w/ TV

AC Power Adapters

ADT120250
- A/C Regulated Adapter 120V/ 60Hz 250ma

ADT120500
- A/C Unregulated Adapter 120V/ 60Hz 500ma

ADT120500R
- 24V A/C 1.2A Power Regulated Adapter 120V/ 60Hz

ADT120800
- A/C Unregulated Adapter 120V/ 60Hz 800ma

ADT120024
- 24V A/C Power Adapter 120V/ 60Hz, AC 24V 300ma

ADT241200
- 24V A/C 1.2a Power Adapter 120V/ 60Hz for HS13HB (Housing)

ADT123004
- Switching Mode Power Supply - AC Smps - 4ea 12V Output

SADT053000
- Switching Mode Power Supply, AC 120V DC 5V 3000ma

C-Mount Lenses

Lens043
- C-Mount Lens 4.3 mm [78º] / F1.8

Lens060
- C-Mount Lens 6 mm [54º] / F2.0

Lens080
- C-Mount Lens 8 mm [38º] / F2.8

Lens120
- C-Mount Lens 12 mm [26º] / F2.0

Lens160
- C-Mount Lens 16 mm [19º] / F1.6

Board Camera Lenses

STANDARD LENS
- Lens 78 = 4.3mm, 78º
- Lens 39 = 8.0mm, 39º
- Lens 54 = 6.0mm, 54º
- Lens 92 = 3.6mm, 92º

PINHOLE LENS
- Lensp 78 = 4.3mm, 78º,
- Lensp 92 = 3.6mm, 92º

SPECIAL LENS
- Lens 30 = 12mm, 26º
- Lens 28 = 16mm, 19º
- Lens110 = 2.9mm, 110º
- Lens150 = 2.1mm, 150º

Vari-Focal DC Auto Iris Professional Lenses

Lens3508
- Format 1/3" CS Mount
- DC Auto Iris Drive
- Focal Length 3.5 to 8.0mm

TV3X0310D-NB
- Format 1/3" CS Mount
- DC Auto Iris Drive
- Focal Length 3.0 to 8.5mm (F1.0 to F360)
- Color Day & Night Camera

TV7X7513D-NB
- Format 1/3" CS Mount
- FDC Auto Iris Drive
- Focal Length 7.5 to 50.0mm (F1.3 to F360)
- For All Camera Type

Cables - 2 RCA Jacks & 1 DC Jack

CA030M 30' Extension 2 RCA Jacks + 1 DC Jack
CA060M 60' Extension 2 RCA Jacks + 1 DC Jack
CA100M 100' Extension 2 RCA Jacks + 1 DC Jack
CB120M 120' Extension 2 RCA Jacks + 1 DC Jack

Cables - 1 RCA Jack & 1 DC Jack

CA030Y 30' Extension 1 RCA Jack + 1 DC Jack
CA060Y 60' Extension 1 RCA Jack + 1 DC Jack
CA100Y 100' Extension 1 RCA Jack + 1 DC Jack
CB120Y 120' Extension 1 RCA Jack + 1 DC Jack

Cables - 4 PIN DIN

CA030R 30' 4 Pin Din Cable
CA060R 60' Extension 4 Pin Din + 4 Pin Din
CA100R 100' Extension 4 Pin Din + 4 Pin Din
CB120R 120' Extension 4 Pin Din + 4 Pin Din

Cables - 6 PIN DIN

CA060 60' Cable Small 6 Pin m/m Din + Small Din
CA0603 60' Cable Small 6 Pin m/m Din + Small Din w/ CN030
CA100 100' Cable Small 6 Pin m/m Din + Small Din
CA300 300' Cable Small 6 Pin m/m Din + Small Din

Cables - Others

CA050B 50' Extension Cable - BNC to BNC Cable
CA100B 100' Extension Cable - BNC to BNC Cable
CA100H 100' Extension Cable - For HDC Series Camera
CB120J 120' Extension Cable - RJ45 to RJ45 Cable for RJ325 Camera

Breakout Cables & Connectors

CA035R 10" 4 Pin Din + 2 RCA Jacks & DC Jack
CA003 2' 4 Pin Din Breakout Cable
CA004 2' 6 Pin Din Breakout Cable
CN020 6 Pin Din F/F Connector
CN030 6 Pin Din F/F Connector

LW01 / LW02
3 Pin Male Board Camera Wire

LW03 / LW04
3 (or 4) Pin Male w/ 1 (or 2) RCA Jack + 1 DC Jack

CA010/CA010C
10' Alarm Small Din Cable for Color System